

	Description	Unit	Approved Tender Rates of BRAHMANANDA REDDY ()	
			In Figures	In Words
0	Extra for Groove cutting in brick wall/CC floor to the suitable depth for concealing of Conduit/GI pipe and plastering, finishing upto wall surface complete. upto 50mm conduit in brick wall	Mtr	18.65	Rupees Eighteen and Sixty Five Paise Only
30	Supplying heavy gauge PVC Conduit Pipe 19/20 mm dia 2 mm thick with suitable size bends, metal junction boxes adhesive paste etc., by groove cutting in the wall and fixing by bracing U or J hooks and cement plastering up to the wall surface and run with 18 SWG GI fish wire run throughout the conduit wherever necessary.	Mtr	49.73	Rupees Forty Nine and Seventy Three Paise Only
1	Supplying and fixing PBBC/Bakelite straight or slant batten holder and wiring with 60w/230 volts lamps.	Eac h	78.14	Rupees Seventy Eight and Fourteen Paise Only
1	Supplying patti type fluorescent tube light fitting of 2' - suitable for 14 watts fluorescent tube fitting, made out of M.S. Sheet and stove enameled with HF Electronic Ballast, locking type brass contact holders mounted on double fold type sheet base fully wired for use on 230 volts AC. Supply including T5 lamp.	Eac h	524.81	Rupees Five Hundred Twenty Four and Eighty One Paise Only
15	Wiring for lighting/power circuit using one of FRLS PVC insulated 1100V grade, multistrand Copper with low conductor resistance single core wire in open or concealed system of wiring with specified IS-694:1990 & confirming to GTP of GROUP -A 1.5 sqmm	Mtr	16.52	Rupees Sixteen and Fifty Two Paise Only
4	Supplying and fixing cast Aluminum round or oblong type bulk head fitting with GI wire guard, glass cover with 60/100 watts 230V GLS lamp.	Eac h	663.34	Rupees Six Hundred Sixty Three and Thirty Four Paise Only
1	Supplying, fixing, wiring, earth electrode for grounding conduits, I.C. cutouts and other equipment's on the meter board using 40mm dia 2.90mm thick GI pipe 2.5 mtr long buried in a pit ... The pit should be filled with equal proportion of salt and charcoal 150mm all-round the pipe to complete depth. The connection from the pipe to the conduit etc., is to be established through GI wire of size as per ISI specification 7.3.3. of IS 732 using 12mm dia bolts, nuts, washers and check nuts etc., the pipe shall have 16 through holes of 122 mm dia	No	2421.58	Rupees Two Thousand Four Hundred Twenty One and Fifty Eight Paise Only
25	Supplying of 1.1 KV LT UG cable having aluminum conductor PVC insulated, extruded inner sheathed, galvanized, steel strip (except 2CX10Sqmm wire armoured) conforming to IS-3975:1990 (No. of Strip indicated in GTP) & extruded PVC outer sheathed armoured cable with specified IS-1554 Part-1:1988 & confirming to GTP of GROUP-A	Mtr	124.68	Rupees One Hundred Twenty Four and Sixty Eight Paise Only
25	Labour charges for laying of 1.1 KV class UG cable in existing trench GI pipe / stoneware pipe / on wall / on pole as required. In existing trench/duct.	Mtr	9.59	Rupees Nine and Fifty Nine Paise Only
20	Digging of trench of 0.6m deep x 0.50 mtr wide refilling the trench to the required ground level and consolidating etc., complete For Cutting Road Surface.	Mtr	75.48	Rupees Seventy Five and Forty Eight Paise Only
4	Supplying and fixing of class A (medium duty) GI pipe of wall thickness not less than 3.25mm on pole/wall/drain crossing with necessary clamping arrangements for UG cable of 1.1 KV 40mm dia GI pipe	Mtr	306.36	Rupees Three Hundred Six and Thirty Six Paise Only
1	Supplying and fixing L.T. cast Iron pot heads suitable for 1.1 KV class UG cable filled with necessary bitumen/insulating compound complete with terminals, clamps, bolts, nuts and washers 16Sqmm etc.,	No.	248.64	Rupees Two Hundred Forty Eight and Sixty Four Paise Only
				887903.57

C. Brahmananda Reddy

Signature of the Contractor

Brahmananda Reddy
Executive Engineer
Byarayanapura Division
BBMP, Bangalore - 92

21/10

BRUHAT BANGALORE MAHANAGARA PALIKE

BBMP/2019-20/OW/WORK_INDENT37142

APPROVED SCHEDULE - B

EE/ETP/BBMP/E-PMT/11/2019-20, Date: 11.07.2019

Construction of BBMP Help Point at Ramachandrapura in Ward No. 11 (Kuvempunagara), Vidyanarayapura Sub Division.

Sl. No.	Approved Qty.	Description	Unit	In Figures	Approved Tender Rates of BRAHMANANDA REDDY ()	In Words
1	64.27	Earthwork excavation for foundation of buildings, water supply, sanitary lines and electrical conduits either in pits or in trenches 1.5m and above in width, in ordinary soil not exceeding 1.5 m. in depth including dressing the bottom and sides of pits and trenches, Cum stacking the excavated soil clear from edges of excavation with lead upto 50 m. after breaking of clods complete as per specifications.	Cum	181.26	11649.58	Rupees One Hundred Eighty One and Twenty Six Paise Only
2	9.32	Providing and laying in position plain cement concrete of mix 1:4:8 with OPC cement @ 180kgs, with 40mm and down size graded granite metal coarse aggregates @0.85cum and fine aggregates @ 0.57cum machine mixed, machine mixed, concrete laid in layers not exceeding 15 cms. thick, well compacted, in foundation, including cost of all materials, labour, HOM of machinery, curing complete as per specifications.	Cum	4667.65	43502.50	Rupees Four Thousand Six Hundred Sixty Seven and Sixty Five Paise Only
3	14.65	Providing and constructing granite / trap / basalt size stone masonry in foundation with cement mortar 1:6, stone hammerd dressed in courses not less than 20 cms high, bond stones at two m. apart in each course including cost of materials, labour, curing complete as per specifications.	Cum	4015.5	58827.08	Rupees Four Thousand Fifteen and Fifty Paise Only
4	5.28	Providing and constructing granite / trap / basalt size stone masonry in basement with cement mortar 1:6, edges of stones chistle dressed in courses not less than 15 cms high, bond stones at two m. apart in each course including cost of materials, labour, curing complete as per specifications.	Cum	4800.0	25344.00	Rupees Four Thousand Eight Hundred Only
5	27.52	Providing and laying cement concrete using 20 mm and down size granite coarse aggregates and fine aggregates of ready mixed concrete (RMC) M 20 for R.C.C works laid in 15 cms thick layers and well compacted vibrating, curing, for raft foundation column footing, main and secondary beams with all lead and lifts etc., complete (exclusive of cost of steel and fabrication charges.)	Cum	5638.2	155163.26	Rupees Five Thousand Six Hundred Thirty Eight and Twenty Paise Only
6	64.27	Filling available excavated earth (excluding rock) in sides of foundations upto plinth in layers not exceeding 20cms, in depth, compacting each deposited layers by ramming after watering with lead upto 50m, and lift upto 1.5m, including cost of all labour complete as per specifications	Cum	121.8	7828.09	Rupees One Hundred Twenty One and Eighty Paise Only
7	84.13	Providing and constructing load bearing wall with solid concrete blocks of size 400x150x200 mm having block density not less than 1800 kg/m3 and having a minimum average compressive strength 4.00 N/mm2 conforming to IS 2185 (Part) : 2005 and constructed with CM 1:4, as per IS 2572:2005 including cost of all materials, labour charegs, scaffolding, curing complete as per specifications.	Sqm	796.96	67048.24	Rupees Seven Hundred Ninety Six and Ninety Six Paise Only
8	3.44	Providing T.M.T steel reinforcement for R.C.C work including straightening, cutting, bending, hooking, placing in position, lapping and / or welding wherever required, tying with binding wire and anchoring to the adjoining members wherever necessary complete as per design (laps, hooks and wastage shall not be measured and paid) cost of materials, labour, HOM of machinery complete as per specifications. Specification No. KBS 4.6.3 - TMT bars Fe 500	Tonne	58124.54	199948.42	Rupees Fifty Eight Thousand One Hundred Twenty Four and Fifty Four Paise Only

C. Brahmananda Reddy

Signature of the contractor

Approved Qty.	Description	Unit	In Figures	In Words
Approved Tender Rates of BRAHMANANDA REDDY ()				
9	50.96 KSRB 10-3 : Providing and laying integral cement based waterproofing treatment including preparation of surface as required for treatment of roofs, balconies, terraces etc., consisting of following application (a) Applying and grouting a slurry coat of neat cement using 2.75 kg/sqm of cement admixed with proprietary water proofing compound conforming to IS:2645 over the RCC slab after cleaning the surface before treatment. (b) Laying cement concrete using broken brick bats 25mm to 100mm size with 50% of cement mortar 1:5 admixed with proprietary water proofing compound conforming IS:2645 over 20mm thick layer of cement mortar 1:5 admixed with proprietary water proofing compound to required slope and treating similarly the adjoining walls upto 300mm height including rounding off junctions of walls and slabs. (c) After two days of proper curing, applying a second coat of cement lurry admixed with proprietary water proofing compound (d) Finishing the surface with 20mm thick jointless cement mortar of mix 1:4 admixed with proprietary water proofing compound and finally finishing the surface with trowel and neat cement slurry and making of 300x300mm square (e) The whole terrace so finished shall be flooded with water for a minimum period of two weeks for curing and for final test including cost of materials, labour complete as per specifications.	Sqm	866.97	Rupees Eight Hundred Sixty Six and Ninety Seven Paise Only
10	44.2 Providing 12mm thick cement plaster in single coat with cement mortar 1:3, to ceiling including rounding off corners wherever required smooth rendering. ; Providing and removing scaffolding, including cost of materials, labour, curing complete as per specifications	Sqm	185.09	Rupees One Hundred Eighty Five and Nine Paise Only
11	117.03 Providing 18mm thick cement plaster in single coat with cement mortar 1:4, to brick masonry including rounding off corners wherever required smooth rendering. ; Providing and removing Sqm scaffolding, including cost of materials, labour, curing complete as per specifications.	Sqm	234.96	Rupees Two Hundred Thirty Four and Ninety Six Paise Only
12	110.99 Providing 18mm thick cement plaster in single coat with cement mortar 1:6, to brick masonry including rounding off corners wherever required smooth rendering. ; Providing and removing Sqm scaffolding, including cost of materials, labour, curing complete as per specifications.	Sqm	189.89	Rupees One Hundred Eighty Nine and Eighty Nine Paise Only
13	34.02 Providing and fixing Special make glazed Vitrified tiles (Granomite finish) of approved make, quality and colour of size 600x600x10mm thick fixed on existing flooring with a special roffe adhesive for flooring and skirting etc., complete including providing spears at required interval and removing stains	Sqm	1141.26	Rupees One Thousand One Hundred Forty One and Twenty Six Paise Only
14	52.02 Providing and removing centering, shuttering, strutting, propping etc., for columns, pillars, post and struts, square / rectangular/polygon in plan including cost of all materials, labour complete as per specifications.	Sqm	351.01	Rupees Three Hundred Fifty One and One Paise Only
15	53.8 Providing and removing centering, shuttering, strutting, propping etc., and removal of form work for flat surface such as suspended floors, roofs, landings, balconies and likes, thickness above 200 mm including cost of all materials, labour complete as per Specification.	Sqm	368.27	Rupees Three Hundred Sixty Eight and Twenty Seven Paise Only
16	77.72 Providing and removing centering, shuttering, strutting, propping etc., and removal of form work for sides and soffits of beams, beam haunchings, cantilever girders, bressumers and lintels not exceeding 1m in depth including cost of all materials, labour complete as per specifications.	Sqm	245.51	Rupees Two Hundred Forty Five and Fifty One Paise Only
17	5.99 Providing and fixing 1mm thick M.S. sheet garage door with frame and diagonal braces of size 40x40x6 mm angle iron, 3.15mm thick M.S. Gusset plates at the junctions and corners, with handles, stoppers and locking arrangements etc., including applying a priming coat of red lead paint cost of materials, labour, HOM of machinery complete as per specifications. Double leaf door of size 2.4x2.4m.	Sqm	2236.48	Rupees Two Thousand Two Hundred Thirty Six and Forty Eight Paise Only

e. Brahma nanda Reddy.

Signature of the contractor

Approved Qty.	Description	Unit	Approved Tender Rates of BRAHMANANDA REDDY ()	
			In Figures	In Words
18	2.3 Providing and fixing in position in cement concrete 1:3:6 steel glazed windows and ventilators side hung/top hung fully openable as per approved drawings using Z angles of 25x33x3mm, weighing 1.419 Kg/m both for outer and inner frames and central mullion section of size 25x46x3mm weighing 2.28Kg/m duly providing T section 19x19x3mm weighing 0.839 kg/m for glazing of windows not more than 34 cms. c to c including providing and fixing 4mm. thick reeded glass with teakwood beading of required size, all steel sections should conform to I.S 7452:1990, 4nos. of holdfasts of approved size, section should be cut to length welded and electrically grinded subdividing frames of unit shall be tenonned and revetted into the frames electrically. All the steel surface shall be thoroughly cleaned free of rust and painted with one coat of anti-corrosive paint and finishing with two coats of ready mix paint of approved colour and make including cost of materials, fixtures, labour and HOM of machinery complete as per specifications.	Sqm	3385.41	Rupees Three Thousand Three Hundred Eighty Five and Forty One Paise Only
19	161.23 Providing and applying two coats with oil bound washable distemper of approved brand and shade on wall surface including priming coat with distemper primer after thoroughly brooming the surface free from mortar drops and other foreign matter including preparing the surface even and sand paper smooth, cost of materials, labour, complete as per specifications.	Sqm	68.09	Rupees Sixty Eight and Nine Paise Only
20	110.99 Providing and finishing external walls in two coats with waterproof cement paint of approved brand and shade to give an even shade after thoroughly brooming the surface to remove all dirt and loose powdered material, free from mortar drops and other foreign matter cost of materials, labour, complete as per specifications. - with primer.	Sqm	80.56	Rupees Eighty and Fifty Six Paise Only
21	25 Providing and fixing Chlorinated Poly Vinyl Chloride (CPVC) pipes conforming to IS 15778, having thermal stability for hot and cold water supply including all CPVC plain and brass threaded fittings including fixing the pipe with clamp at 1.00 mtr spacing. This includes jointing of pipes and making good the same including testing of joints complete. (Concealed work including cutting chases and good the walls etc.) - 20mm nominal OD pipes.	M	201.4	Rupees Two Hundred One and Forty Paise Only
22	20 Providing and fixing Chlorinated Poly Vinyl Chloride (CPVC) pipes conforming to IS 15778, having thermal stability for hot and cold water supply including all CPVC plain and brass threaded fittings including fixing the pipe with clamp at 1.00 mtr spat & the cost of cutting chases & making good the same including testing of joints complete. (Concealed work including cutting chases and good the walls etc.) - 25mm nominal OD pipes	m	239.76	Rupees Two Hundred Thirty Nine and Seventy Six Paise Only
23	1 Providing and fixing Chlorinated Poly Vinyl Chloride (CPVC) pipes conforming to IS 15778, having thermal stability for hot and cold water supply including all CPVC plain and brass threaded fittings including fixing the pipe with clamp at 1.00 mtr spat & the cost of cutting chases & making good the same including testing of joints complete. (Concealed work including cutting chases and good the walls etc.) - 30mm nominal OD pipes	m	273.33	Rupees Two Hundred Seventy Three and Thirty Three Paise Only
24	10 Providing and fixing in position brass gate valve with C.I wheel of approved quality (screwed end) 25mm nominal bore including cost of all materials, labour and HOM of equipments with all leads complete as per specifications.	Eac h	575.42	Rupees Five Hundred Seventy Five and Forty Two Paise Only

Brahmananda Reddy

5	1	Constructing brick masonry inspection chamber 455x610mm, and 450mm depth, (clear inside dimension) for single pipeline, using table moulded non-modular bricks of class designation 50 in cement mortar 1:5, C.I cover with frame (light duty) 455x610mm internal dimensions, total weight of cover with frame to be not less than 38 kg (weight of cover 23kg and weight of frame 15 kg) R.C.C. top slab with cement concrete M 15 with 20mm and downsize granite metal, foundation concrete M 5 with 40mm and downsize granite metal inside plastering 12mm thick with cement mortar 1:3, finish smooth with a floating coat of cement on walls and bed concrete complete as per standard design including cost of materials, labour charges, curing complete as per specifications.	Nos	6752.6	6752.60	Rupees Six Thousand Seven Hundred Fifty Two and Sixty Paise Only
6	2	Providing and fixing white vitreous china clay, surgeon type wash basin size 660x460mm with a pair of 15mm C.P brass pillar taps with pair of elbow operated levers, C.I / M.S brackets, 32 mm C.P. brass waste of standard pattern, painting of fittings and brackets, cutting and making good the wall and floor wherever required, including cost of materials, labour complete as per specifications.	Unit	4391.44	8782.88	Rupees Four Thousand Three Hundred Ninety One and Forty Four Paise Only
27	10	Providing and fixing in position brass bib cock of approved quality 25mm nominal bore including cost of all materials, labour and HOM of equipments with all leads complete as per specifications.	Eac h	263.74	2637.40	Rupees Two Hundred Sixty Three and Seventy Four Paise Only
28	1	Providing and fixing white vitreous china clay, water closet Orissa pattern of size 580 x 440mm with integral type footrests, 100mm S or P trap, 10 litre low level, P V C flushing cistern (all are approved make) with fittings, C.I / M.S brackets, 32mm diameter flush pipe fittings and clamps, overflow arrangements with special and 25mm mosquito proof coupling of approved design, painting of fittings and brackets, cutting and making good the wall and floor wherever required, including cost of materials, labour complete as per specifications.	Pan	4158.4	4158.40	Rupees Four Thousand One Hundred Fifty Eight and Forty Paise Only
29	1	Providing and placing on terrace, polyethylene water storage tanks with manhole lid and suitable locking arrangements, making holes of suitable diameter for inlet, outlet and over flow pipes, including cost of all materials, labour, transport charges, HOM of equipments and testing complete as per specifications. (For 1000 litre capacity)	Nos	8120.19	8120.19	Rupees Eight Thousand One Hundred Twenty and Nineteen Paise Only
30	20	Providing and fixing sand cast iron soil waste and vent pipes 100mm dia with spun yarn soaked in cement slurry and cement mortar 1:2 including cost of materials, labour, testing complete as per specifications	m	675.16	13503.20	Rupees Six Hundred Seventy Five and Sixteen Paise Only
31	9	Providing and fixing on wall surface 2.5 kg / sq.cm H.D.P.E. rain down water pipes 90 mm outer dia approved make and brand with necessary specials like shoes, bends and offsets fixed with iron clamps, wall plugs, screws, including cost of materials, labour, curing complete as per specifications.	m	381.7	3435.30	Rupees Three Hundred Eighty One and Seventy Paise Only
32	3	Supplying and wiring adopting loop system in existing PVC Conduit / casing capping using 1100V grade, COPPER conductor flexible multistrand FRLS PVC insulated, 2 X1.5Sq.mm Cable conforming to the GTP, with a 6Amps flush type SP control switch shall be fixed on the existing plastic sheet / gang box, the other end of the wires shall be terminated with sufficient loose length in a wood/PVC round block. complete for each outlet. GROUP A b) Medium point above 3Mtr upto 6Mtr from tapping point to out let via switch	Poin t	217.56	652.68	Rupees Two Hundred Seventeen and Fifty Six Paise Only
33	2	Supplying and flush mounting teak wooden box without front plank, made of not less than 12mm thick wood, after due groove cutting, Finishing with necessary cement plastering complete (1.6.5) 4"x4"x3" (101x101x76mm)	Eac h	60.38	120.76	Rupees Sixty and Thirty Eight Paise Only
34	844	Supplying 4mm thick plastic sheet with necessary niches for fixing switches, regulators etc., and fixing on existing wooden or metal box using N.F. screws.	SqC M	0.22	185.68	and Twenty Two Paise Only

c. Brahmananda Reddy

Signature of the contractor